

Preliminary training course on diagnostic upper gastrointestinal endoscopy

Dr Mohammad mehdi Eshagh hosseini M.D.

Gastroenterologist & hepatologist

Fellowship Advance endoscopy

Endoscopy report

- Report should include:
- Patient identification
- Date of endoscopy
- The reason for endoscopy
- Sedation details
- Endoscopic findings
- Name of the endoscopist and the endoscopy team

Endoscopy report

- The European Society of Gastrointestinal Endoscopy (ESGE) recommended that the endoscopist take at least 10 photos during an upper endoscopy to include the following locations:
- Proximal esophagus
- Distal esophagus
- Z-line and diaphragm indentation
- Cardia
- Fundus in inversion,
- Corpus in forward view including lesser curvature, corpus in retroflex view including greater curvature
- Angulus in partial inversion
- antrum
- Duodenal bulb
- Second part of duodenum.
- Additional images have been suggested in higher-risk patients being screened for gastric cancer. Images of any abnormalities found during upper endoscopy should be documented.

Endoscopy report

- The abnormalities in larynx and vocal cords should be mentioned (vocal cord nodule, laryngitis, vocal cord paralysis)
- The description of mucosal, submucosal, vascular abnormalities, and extrinsic compression in the esophagus should be reported.

